L	Hits	Search Text	DB	Time stamp
Number	nics	Sealon lext		_ `
1	264	((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27
2	108	((buffer with storage) same (reserv\$3 with space))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27 12:39
3	39	stream and (((buffer with storage) same (reserv\$3 with space)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27 12:23
4	1	<pre>(stream and (((buffer with storage) same (reserv\$3 with space)))) and (((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27
5	39	<pre>(stream and (((buffer with storage) same (reserv\$3 with space)))) and (((buffer with storage) same (reserv\$3 with space)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 12:22
6	1	<pre>(((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header) and (((buffer with storage) same (reserv\$3 with space)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27
7	264	<pre>((stream and (((buffer with storage) same (reserv\$3 with space)))) and (((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header)) or (((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27
8	1	<pre>((stream and (((buffer with storage) same (reserv\$3 with space)))) and (((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header)) or ((((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header) and (((buffer with storage) same (reserv\$3 with space))))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 12:22
9	24	protocol and (stream and (((buffer with storage) same (reserv\$3 with space))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27
10	7	stream with (((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27
11	73	((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with payload	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27 12:38
12	1	<pre>(((buffer with storage) same (reserv\$3 with space))) and (((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with payload)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/27 12:38

13	10	//buffor with storage\ and	USPAT;	2004/09/27
,	10	((buffer with storage) and (((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with payload	US-PGPUB; EPO; JPO;	12:40
))	DERWENT; IBM_TDB	
14	4	<pre>(((buffer with storage) and (((predetermin\$3 or preassign\$3 or</pre>	USPAT; US-PGPUB;	2004/09/27
		preallocat\$3) with protocol) with payload))) and @ad<=19961127	EPO; JPO; DERWENT; IBM TDB	13.33
15	61	(((predetermin\$3 or preassign\$3 or	USPAT;	2004/09/27
		<pre>preallocat\$3) with protocol) with reserv\$3)</pre>	US-PGPUB; EPO; JPO; DERWENT;	13:40
16	1	 payload with ((((predetermin\$3 or	IBM_TDB USPAT;	2004/09/27
	_	preassign\$3 or preallocat\$3) with	US-PGPUB;	13:43
	,	protocol) with reserv\$3))	EPO; JPO; DERWENT; IBM TDB	
17	1	((stream and (((buffer with storage) same	USPAT;	2004/09/27
		<pre>(reserv\$3 with space)))) and (((predetermin\$3 or preassign\$3 or</pre>	US-PGPUB; EPO; JPO;	13:43
		preallocat\$3) with protocol) with header	DERWENT;	
)) or (((stream and (((buffer with	IBM_TDB	
		storage) same (reserv\$3 with space)))) and (((predetermin\$3 or preassign\$3 or		
		preallocat\$3) with protocol) with header		
		<pre>)) or ((((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with header</pre>		
) and (((buffer with storage) same		
		(reserv\$3 with space))))) or (payload		
		with ((((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with		
		reserv\$3)))		
18	1	((header or payload) with ((((predetermin\$3 or preassign\$3 or	USPAT; US-PGPUB;	2004/09/27
		preallocat\$3) with protocol) with	EPO; JPO;	13.41
		reserv\$3)))	DERWENT;	
19	24	((header or payload) and	IBM_TDB USPAT;	2004/09/27
		((((predetermin\$3 or preassign\$3 or	US-PGPUB;	13:44
		<pre>preallocat\$3) with protocol) with reserv\$3)))</pre>	EPO; JPO; DERWENT;	
		Teser v43	IBM TDB	
20	4	(((header or payload) and	USPĀT;	2004/09/27
		<pre>((((predetermin\$3 or preassign\$3 or preallocat\$3) with protocol) with</pre>	US-PGPUB; EPO; JPO;	19:02
		reserv\$3)))) and @ad<=19961127	DERWENT;	
71.71			IBM_TDB	